

Technical Specification for Oticon Concert Hall, DTU



S-Huset
Anker Engelundsvej 1
Bygn. 101E
DK-2800 Lyngby
Denmark

Web: www.s-huset.dk
Kaffestuen: +45 77 42 43 82
Booking: +45 77 42 43 84

(for more contact information please see web)

Contents

1	Oticon Concert Hall	1
1.1	Capacity	1
1.2	PA	1
1.3	Power	1
1.3.1	FOH.....	1
1.3.2	Stage.....	1
1.3.3	Backstage	1
1.3.4	Balcony	1
1.4	Cable wells.....	1
1.5	Lights	1
1.6	Stage.....	2
1.7	Truss points.....	2
1.8	Load in	2
1.9	Dressing room.....	2

1 Oticon Concert Hall

1.1 Capacity

1000 persons standing, floor is app. 20 m x 20 m

1.2 PA

No PA system is installed in this venue. System is rented for each event. Please contact booker for more information. Contact info can be found at www.s-huset.dk.

1.3 Power

1.3.1 FOH

4 x 1 x 16 A CEE
2 x 10 A "komfur"
3 x 10 A LK
3 x 10 A LK "edb"
1 x Ethernet – please order in advance

1.3.2 Stage

1 x 3 x 125 A CEE
2 x 3 x 63 A CEE
1 x 3 x 32 A CEE
3 x 3 x 16 A CEE
6 x 1 x 16A CEE
N.B. max total load 200 A per phase

1.3.3 Backstage

1 x 3 x 125 A CEE
5 x 3 x 63 A CEE
2 x 3 x 16 A CEE
4 x 1 x 16 A CEE
N.B max total load 200 A per phase
1 x Ethernet – please specify in advance

1.3.4 Balcony

1 x 3 x 16 A CEE
X x XX A LK
1 x Ethernet – please specify in advance

1.4 Cable wells

12 wells in floor. 2 at FOH, 2 at stage, 1 at stage ramp. Wells are large enough to fit most cables including multicore & power. See Figure 1 for details.

1.5 Lights

Dimmable house lights (controlled from bar & backstage area)

All effect lights, truss, dimmers & atmospheric FX supplied by Polyteknisk Scenelys
(www.scenelys.dk for more information).

1.6 Stage

Max. 36 decks of 1 m x 2 m on 1.2 m legs (other heights are available but in limited numbers – please specify in advance).

Normal size: 6 x 5 m (w x d)

Min. clearance to roof: 8 m from floor

Backdrop: Black molton hung in truss

Casement: Black, fittet as standard.

Risers upon request (mobile/stationary)

1.7 Truss points

Height along wall: 8 m, height in center: 10.7 m

See Figure 1 for details.




Figure 1

1.8 Load in

From road directly to audience floor (2 steps up, ramp available)

From audience floor directly to dressing room / backstage (2 steps up, ramp available)

From dressing room / backstage to stage via ramp.

1.9 Dressing room

1 toilet, 1 shower

2 Well lit make-up mirrors

Entrance to stage from dressing room via backstage area